ELSEVIER

Neuroscience Letters 332 (2002) 219–222

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 332

Abe, K., see Ilieva, H., 53
Ai, J., Baker, A., Presynaptic hyperexcitability at cerebellar synapses in traumatic injury rat, 155
Al-Sarraj, A., Thiel, G., Substance P induced biosynthesis of the zinc finger transcription factor Egr-1 in human glioma cells requires activation of the epidermal growth factor receptor and of extracellular signal-regulated protein kinase, 111
Amano, N., see Satoda, T., 9
Aomine, M., see Yamato, T., 87
Applegate, C.D., see Ferland, R.J., 131
Apte-Deshpande, A., see Terao, A., 190
Asou, H., see Taketomi, M., 37

Baker, A., see Ai, J., 155
Bao, X., see Lu, J., 75
Barker, J.L., see Lin, H.J., 103
Barranger, E., see Houdeau, E., 29
Barrett, G.L., see Greferath, U., 57
Bartlett, P.F., see Greferath, U., 57
Baum, L., see Ma, S.L., 216
Baxi, S., see Wang, J., 195
Berciano, J., see Infante, J., 213
Bergman, J., see Kaasinen, V., 61
Bongianni, F., see Mutolo, D., 175
Borszcz, G.S., see Munn, E.M., 151
Brustovetsky, N., Jemmerson, R., Dubinsky, J.M., Calcium-induced Cytochrome *c* release from rat brain mitochondria is altered by digitonin, 91

Callaway, N.L., Riha, P.D., Wrubel, K.M., McCollum, D., Gonzalez-Lima, F., Methylene blue restores spatial memory retention impaired by an inhibitor of cytochrome oxidase in rats, 83
Chang, Y.H., see Lin, H.J., 103
Cheema, S.S., see Zang, D.W., 99
Chen, Y., see Lu, J., 75
Chiken, S., see Tokuno, H., 5
Chiu, H.F.K., see Ma, S.L., 216
Chung, S.-H., see Lee, S.-H., 17
Clendaniel, R., see Shelhamer, M., 200
Combarros, O., see Infante, J., 213
Courtine, G., Papaxanthis, C., Pozzo, T., Prolonged exposure to microgravity modifies limb endpoint kinematics during the swing phase of human walking, 70
Cui, L., see Wang, Y., 25

Del-Bel, E.A., Joca, S.R.L., Padovan, C.M., Guimarães, F.S., Effects of isolation-rearing on serotonin-1A and M1-muscarinic receptor messenger RNA expression in the hipocampal formation of rats, 123
Ding, K., see Lu, J., 75
Douhan III, J., see Marusic, S., 185
Dubinsky, J.M., see Brustovetsky, N., 91

Eller, M., see Häidkind, R., 79
Evans, C., see Wang, J., 195

Federmeier, K.D., Kleim, J.A., Greenough, W.T., Learning-induced multiple synapse formation in rat cerebellar cortex, 180
Ferland, R.J., Gross, R.A., Applegate, C.D., Differences in hippocampal mitotic activity within the dorsal and ventral hippocampus following flurothyl seizures in mice, 131
Feuerstein, T.J., see Surges, R., 136
Freiman, T.M., see Surges, R., 136
Freund, Y.R., see Terao, A., 190
Fujisawa, S., see Tanaka, J., 41
Fung, M.-L., see Gao, T.-M., 163
Furudono, Y., see Kobashi, M., 171

Gao, T.-M., Fung, M.-L., Decreased large conductance Ca^{2+}-activated K^+ channel activity in dissociated CA1 hippocampal neurons in rats exposed to perinatal and postnatal hypoxia, 163
Geisslinger, G., see Tegeder, I., 146
Gong, L.-W., see Huang, H., 141
Gonzalez-Lima, F., see Callaway, N.L., 83
Greenough, W.T., see Federmeier, K.D., 180
Greferath, U., Mallard, C., Roufail, E., Rees, S.M., Barrett, G.L., Bartlett, P.F., Expression of the p75 neurotrophin receptor by striatal cholinergic neurons following global ischemia in rats is associated with neuronal degeneration, 57
Gross, R.A., see Ferland, R.J., 131
Guimarães, F.S., see Del-Bel, E.A., 123
Gulyaeva, N.V., see Kudryashov, I.E., 95
Gutschalk, A., Kollmar, R., Mohr, A., Henze, M., Ille, N., Schwaninger, M., Hartmann, M., Hähnel, S., Haberkorn, U., Rupp, A., Meyding-Lamade, U., Multimodal functional imaging of prolonged neurological deficits in a patient suffering from familial hemiplegic migraine, 115

Haberkorn, U., see Gutschalk, A., 115
Hähnel, S., see Gutschalk, A., 115
Häidkind, R., Kivastik, T., Eller, M., Kolts, I., Oreland, L., Harro, J., Denervation of the locus coeruleus projections by treatment with the selective neurotoxin DSP-4 [*N*(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine] reduces dopamine release potential in the nucleus accumbens shell in conscious rats, 79
Harro, J., see Häidkind, R., 79
Hartmann, M., see Gutschalk, A., 115
Hatakenaka, S., see Tanaka, J., 41
Heilig, M., see Thorsell, A., 1

PII: S0304-3940(02)01096-0

Henze, M., see Gutschalk, A., 115
Horowitz, J.M., see Ohliger-Frerking, P., 107
Horwitz, B.A., see Ohliger-Frerking, P., 107
Houdeau, E., Barranger, E., Rossano, B., Do sensory calcitonin gene-related peptide nerve fibres in the rat pelvic plexus supply autonomic neurons projecting to the uterus and cervix? 29
Huang, H., Rao, Y., Sun, P., Gong, L.-W., Involvement of actin cytoskeleton in modulation of Ca^{2+}-activated K^+ channels from rat hippocampal CA1 pyramidal neurons, 141

Ide, C., see Taketomi, M., 37
Ilieva, H., Nagano, I., Murakami, T., Shiote, M., Manabe, Y., Abe, K., Change in superoxide dismutase1 protein localization towards mitochondria: an immunohistochemical study in transgenic G93A mice, 53
Ille, N., see Gutschalk, A., 115
Infante, J., Llorca, J., Rodero, L., Palacio, E., Berciano, J., Combarros, O., Polymorphism at codon 174 of the prion-like protein gene is not associated with sporadic Alzheimer's disease, 213
Inoue, T., see Takahashi, S., 45
Irnaten, M., see Wang, J., 195

Jacobs, K.A., see Marusic, S., 185
Jang, M.-H., see Lee, S.-H., 17
Jantzen, K.J., Steinberg, F.L., Kelso, J.A.S., Practice-dependent modulation of neural activity during human sensorimotor coordination: a functional Magnetic Resonance Imaging study, 205
Jemmerson, R., see Brustovetsky, N., 91
Jiang, Y., see Lu, J., 75
Joca, S.R.L., see Del-Bel, E.A., 123

Kaasinen, V., Nurmi, E., Bergman, J., Solin, O., Kurki, T., Rinne, J.O., Personality traits and striatal 6-[^{18}F]fluoro-L-dopa uptake in healthy elderly subjects, 61
Kametani, K., see Tokuno, H., 5
Kang, M.H., see Kim, Y.M., 13
Kawakami, A., see Tanaka, J., 41
Kelso, J.A.S., see Jantzen, K.J., 205
Kilduff, T.S., see Terao, A., 190
Kim, C.-J., see Lee, S.-H., 17
Kim, E.-H., see Lee, S.-H., 17
Kim, H., see Lee, S.-H., 17
Kim, H.Y., see Kim, J.S., 65
Kim, J.H., see Kim, J.S., 65
Kim, J.S., Kim, H.Y., Kim, J.H., Shin, H.K., Lee, S.H., Lee, Y.S., Son, H., Enhancement of rat hippocampal long-term potentiation by 17β-estradiol involves mitogen-activated protein kinase-dependent and -independent components, 65
Kim, S.-S., see Lee, S.-H., 17
Kim, Y., see Kim, Y.M., 13
Kim, Y.M., Lee, J.J., Yin, S.Y., Kim, Y., Lee, J.K., Yoon, Y.P., Kang, M.H., Lee, M.K., Inhibitory effects of tributyltin on dopamine biosynthesis in rat PC12 cells, 13
Kimura, K., see Taketomi, M., 37
Kino, M., see Yamato, T., 87
Kinoshita, N., see Taketomi, M., 37
Kitada, M., see Taketomi, M., 37
Kivastik, T., see Häidkind, R., 79
Kleim, J.A., see Federmeier, K.D., 180
Kobashi, M., Furudono, Y., Matsuo, R., Yamamoto, T., Central orexin facilitates gastric relaxation and contractility in rats, 171
Kollmar, R., see Gutschalk, A., 115
Kolts, I., see Häidkind, R., 79
Konz, R.F., see Marusic, S., 185
Kudo, M., see Takahashi, S., 45
Kudryashov, I.E., Yakovlev, A.A., Kudryashova, I.V., Gulyaeva, N.V., Footshock stress alters early postnatal development of electrophysiological responses and caspase-3 activity in rat hippocampus, 95
Kudryashova, I.V., see Kudryashov, I.E., 95
Kurki, T., see Kaasinen, V., 61

Lam, L.C.W., see Ma, S.L., 216
Lee, J.J., see Kim, Y.M., 13
Lee, J.K., see Kim, Y.M., 13
Lee, J.-S., see Lee, S.-H., 17
Lee, M.K., see Kim, Y.M., 13
Lee, S.-H., Chung, S.-H., Lee, J.-S., Kim, S.-S., Shin, H.-D., Lim, B.-V., Jang, M.-H., Kim, H., Kim, E.-H., Kim, C.-J., Effects of acupuncture on the 5-hydroxytryptamine synthesis and tryptophan hydroxylase expression in the dorsal raphe of exercised rats, 17
Lee, S.H., see Kim, J.S., 65
Lee, Y.S., see Kim, J.S., 65
Leonard, J.P., see Marusic, S., 185
Lim, B.-V., see Lee, S.-H., 17
Lin, H.J., Shaffer, K.M., Chang, Y.H., Barker, J.L., Pancrazio, J.J., Stenger, D.A., Ma, W., Acute exposure of toluene transiently potentiates p42/44 mitogen-activated protein kinase (MAPK) activity in cultured rat cortical astrocytes, 103
Ling, V., see Marusic, S., 185
Liu, X., see Lu, J., 75
Llorca, J., see Infante, J., 213
Lu, J., Chen, Y., Zhang, Y., Pan, H., Wu, H., Xu, K., Liu, X., Jiang, Y., Bao, X., Ding, K., Shen, Y., Wu, X., Mutation screen of the $GABA_A$ receptor gamma 2 subunit gene in Chinese patients with childhood absence epilepsy, 75
Lu, J., Tong, X.-Y., Wang, X.-L., Altered gene expression of Na^+/Ca^{2+} exchanger isoforms NCX1, NCX2 and NCX3 in chronic ischemic rat brain, 21

Ma, S.L., Ng, H.K., Baum, L., Pang, J.C.S., Chiu, H.F.K., Woo, J., Tang, N.L.S., Lam, L.C.W., Low-density lipoprotein receptor-related protein 8 (apolipoprotein E receptor 2) gene polymorphisms in Alzheimer's disease, 216
Ma, W., see Lin, H.J., 103
Mallard, C., see Greferath, U., 57
Manabe, Y., see Ilieva, H., 53
Marusic, S., Miyashiro, J.S., Douhan III, J., Konz, R.F., Xuan, D., Pelker, J.W., Ling, V., Leonard, J.P., Jacobs, K.A., Local delivery of granulocyte macrophage colony-stimulating factor by retrovirally transduced antigen-specific T cells leads to severe, chronic experimental autoimmune encephalomyelitis in mice, 185
Mashiko, N., see Tanaka, J., 41
Masuda, Y., see Satoda, T., 9
Matsuo, R., see Kobashi, M., 171
McCleane, G.J., A phase 1 study of the cholecystokinin (CCK) B antagonist L-365,260 in human subjects taking morphine for intractable non-cancer pain, 210
McCollum, D., see Callaway, N.L., 83
Mendelowitz, D., see Wang, J., 195
Mesquita, M.B.S., Moraes-Santos, T., Moraes, M.F.D., Phenobarbital blocks the lung edema induced by centrally injected tityustoxin in adult Wistar rats, 119
Meyding-Lamade, U., see Gutschalk, A., 115

Milton, N.G.N., Anandamide and noladin ether prevent neurotoxicity of the human amyloid-β peptide, 127
Misumi, Y., see Yamato, T., 87
Miyashiro, J.S., see Marusic, S., 185
Mizuno, N., see Satoda, T., 9
Mohr, A., see Gutschalk, A., 115
Moraes, M.F.D., see Mesquita, M.B.S., 119
Moraes-Santos, T., see Mesquita, M.B.S., 119
Morairty, S., see Terao, A., 190
Moriizumi, T., see Tokuno, H., 5
Munn, E.M., Borszcz, G.S., Increases in the release and metabolism of serotonin in nucleus parafascicularis thalami following systemically administered morphine in the rat, 151
Murakami, T., see Ilieva, H., 53
Mutolo, D., Bongianni, F., Pantaleo, T., Effects of lignocaine blockades and kainic acid lesions in the Bötzinger complex on spontaneous expiratory activity and cough reflex responses in the rabbit, 175

Nagane, Y., see Obara, D., 167
Nagano, I., see Ilieva, H., 53
Nakajima, Y., see Nishimura, Y., 49
Nakamura, T., see Taketomi, M., 37
Ng, H.K., see Ma, S.L., 216
Niederberger, E., see Tegeder, I., 146
Nishimura, Y., Nakajima, Y., Effect of muscle length on the recruitment property of single motor units in humans, 49
Noda, T., see Taketomi, M., 37
Nomura, M., see Tanaka, J., 41
Nurmi, E., see Kaasinen, V., 61

Obara, D., Utsugisawa, K., Nagane, Y., Tohgi, H., Hypoxic condition interferes with phosphorylation of Akt at Thr^{308} in cultured rat pheochromocytoma-12 cells, 167
Obata, T., see Yamato, T., 87
Ohliger-Frerking, P., Horowitz, J.M., Horwitz, B.A., Enhanced adrenergic excitation of serotonergic dorsal raphe neurons in genetically obese rats, 107
Oreland, L., see Häidkind, R., 79

Padovan, C.M., see Del-Bel, E.A., 123
Palacio, E., see Infante, J., 213
Pan, H., see Lu, J., 75
Pancrazio, J.J., see Lin, H.J., 103
Pang, J.C.S., see Ma, S.L., 216
Pantaleo, T., see Mutolo, D., 175
Papaxanthis, C., see Courtine, G., 70
Pelker, J.W., see Marusic, S., 185
Portalier, P., see Ternaux, J.-P., 33
Pozzo, T., see Courtine, G., 70

Rademacher, D.J., Steinpreis, R.E., Effects of the selective μ_1-opioid receptor antagonist, naloxonazine, on cocaine-induced conditioned place preference and locomotor behavior in rats, 159
Rao, Y., see Huang, H., 141
Rees, S.M., see Greferath, U., 57
Riha, P.D., see Callaway, N.L., 83
Rimondini, R., see Thorsell, A., 1
Rinne, J.O., see Kaasinen, V., 61
Rodero, L., see Infante, J., 213
Rossano, B., see Houdeau, E., 29
Roufail, E., see Greferath, U., 57
Rupp, A., see Gutschalk, A., 115
Ruth, P., see Tegeder, I., 146

Satoda, T., Amano, N., Masuda, Y., Uchida, T., Yasui, Y., Mizuno, N., The sites of origin of projection fibers from the cerebral cortex to the jaw region of the striatum of the rat, 9
Schmidtko, A., see Tegeder, I., 146
Schwaninger, M., see Gutschalk, A., 115
Shaffer, K.M., see Lin, H.J., 103
Shelhamer, M., Clendaniel, R., Sensory, motor, and combined contexts for context-specific adaptation of saccade gain in humans, 200
Shen, Y., see Lu, J., 75
Shin, H.-D., see Lee, S.-H., 17
Shin, H.K., see Kim, J.S., 65
Shiote, M., see Ilieva, H., 53
Solin, O., see Kaasinen, V., 61
Son, H., see Kim, J.S., 65
Steinberg, F.L., see Jantzen, K.J., 205
Steinpreis, R.E., see Rademacher, D.J., 159
Stenger, D.A., see Lin, H.J., 103
Sun, P., see Huang, H., 141
Surges, R., Freiman, T.M., Feuerstein, T.J., K^+-induced changes in the properties of the hyperpolarization-activated cation current I_h in rat CA1 pyramidal cells, 136

Takahashi, J., see Takahashi, S., 45
Takahashi, S., Yonezawa, H., Takahashi, J., Kudo, M., Inoue, T., Tohgi, H., Selective reduction of diffusion anisotropy in white matter of Alzheimer disease brains measured by 3.0 Tesla magnetic resonance imaging, 45
Taketomi, M., Kinoshita, N., Kimura, K., Kitada, M., Noda, T., Asou, H., Nakamura, T., Ide, C., Nogo-A expression in mature oligodendrocytes of rat spinal cord in association with specific molecules, 37
Tanaka, J., Mashiko, N., Kawakami, A., Hatakenaka, S., Fujisawa, S., Nomura, M., The action of the A1 noradrenergic region on the activity of subfornical organ neurons in the rat, 41
Tang, N.L.S., see Ma, S.L., 216
Tegeder, I., Schmidtko, A., Niederberger, E., Ruth, P., Geisslinger, G., Dual effects of spinally delivered 8-bromo-cyclic guanosine mono-phosphate (8-bromo-cGMP) in formalin-induced nociception in rats, 146
Terao, A., Apte-Deshpande, A., Morairty, S., Freund, Y.R., Kilduff, T.S., Age-related decline in hypocretin (orexin) receptor 2 messenger RNA levels in the mouse brain, 190
Ternaux, J.-P., Portalier, P., Effect of quercetine on survival and morphological properties of cultured embryonic rat spinal motoneurones, 33
Thiel, G., see Al-Sarraj, A., 111
Thorsell, A., Rimondini, R., Heilig, M., Blockade of central neuropeptide Y (NPY) Y2 receptors reduces ethanol self-administration in rats, 1
Tian, S., see Wang, Y., 25
Tohgi, H., see Obara, D., 167
Tohgi, H., see Takahashi, S., 45
Tokuno, H., Chiken, S., Kametani, K., Moriizumi, T., Efferent projections from the striatal patch compartment: anterograde degeneration after selective ablation of neurons expressing μ-opioid receptor in rats, 5
Tong, X.-Y., see Lu, J., 21

Uchida, T., see Satoda, T., 9
Utsugisawa, K., see Obara, D., 167

Venkatesan, P., see Wang, J., 195

Wang, H., see Wang, Y., 25

Wang, J., Irnaten, M., Venkatesan, P., Evans, C., Baxi, S., Mendelowitz, D., Synaptic activation of hypoglossal respiratory motorneurons during inspiration in rats, 195
Wang, X.-L., see Lu, J., 21
Wang, Y., Wang, H., Cui, L., Tian, S., Zhang, Y., The N270 component of the event-related potential reflects supramodal conflict processing in humans, 25
Woo, J., see Ma, S.L., 216
Wrubel, K.M., see Callaway, N.L., 83
Wu, H., see Lu, J., 75
Wu, X., see Lu, J., 75

Xu, K., see Lu, J., 75
Xuan, D., see Marusic, S., 185

Yakovlev, A.A., see Kudryashov, I.E., 95
Yamamoto, T., see Kobashi, M., 171
Yamasaki, S., see Yamato, T., 87
Yamato, T., Yamasaki, S., Misumi, Y., Kino, M., Obata, T., Aomine, M., Modulation of the stress response by coffee: an in vivo microdialysis study of hippocampal serotonin and dopamine levels in rat, 87
Yasui, Y., see Satoda, T., 9
Yin, S.Y., see Kim, Y.M., 13
Yonezawa, H., see Takahashi, S., 45
Yoon, Y.P., see Kim, Y.M., 13

Zang, D.W., Cheema, S.S., Degeneration of corticospinal and bulbospinal systems in the superoxide dismutase $1^{G93A\ G1H}$ transgenic mouse model of familial amyotrophic lateral sclerosis, 99
Zhang, Y., see Lu, J., 75
Zhang, Y., see Wang, Y., 25